

Package: GWlasso (via r-universe)

November 23, 2024

Title Geographically Weighted Lasso

Version 1.0.1.9000

Description Performs geographically weighted Lasso regressions. Find optimal bandwidth, fit a geographically weighted lasso or ridge regression, and make predictions. These methods are specially well suited for ecological inferences. Bandwidth selection algorithm is from A. Comber and P. Harris (2018) [doi:10.1007/s10109-018-0280-7](https://doi.org/10.1007/s10109-018-0280-7).

License MIT + file LICENSE

Encoding UTF-8

Roxygen list(markdown = TRUE)

RoxygenNote 7.3.1

Imports dplyr, ggplot2, ggside, glmnet, GWmodel, lifecycle, magrittr, methods, progress, rlang, sf, tidyr

NeedsCompilation no

Author Matthieu Mulot [aut, cre, cph]
(<https://orcid.org/0000-0002-8039-5078>), Sophie Erb [aut]
(<https://orcid.org/0000-0002-0700-283X>)

Maintainer Matthieu Mulot <matthieu.mulot@gmail.com>

Suggests knitr, maps, rmarkdown

VignetteBuilder knitr

Depends R (>= 2.10)

LazyData true

URL <https://github.com/nibortolum/GWlasso>,
<https://nibortolum.github.io/GWlasso/>

BugReports <https://github.com/nibortolum/GWlasso/issues>

Config/pak/sysreqs libgdal-dev gdal-bin libgeos-dev make libicu-dev
libssl-dev libproj-dev libsqlite3-dev libudunits2-dev

Repository <https://nibortolum.r-universe.dev>

RemoteUrl <https://github.com/nibortolum/gwlasso>

RemoteRef HEAD

RemoteSha 312f51261cca17ed6c77f7fc554147197270f3fe

Contents

Amesbury	2
compute_distance_matrix	3
gw1_bw_estimation	4
gw1_fit	5
plot.gw1fit	7
plot_gw1_map	8
predict.gw1fit	9
print.gw1est	10
print.gw1fit	11
Index	12

Amesbury

Amesbury Testate Amoebae dataset

Description

Dataset from Amesbury (2016) in Development of a new pan-European testate amoeba transfer function for reconstructing peatland palaeohydrology

Usage

Amesbury

Format

Amesbury:

This dataset contains the data from Amesbury (2016). In essence, it's a Testate amoebae community table (45 broad TA taxa and 1103 samples)

spe.df A species x sites dataframe with sites as rows and species in column

WTD A vector of Water table depth associated with each samples

coords a dataframe containing the coordinates of each sample

Source

[doi:10.1016/j.quascirev.2016.09.024](https://doi.org/10.1016/j.quascirev.2016.09.024)

References

Matthew J. Amesbury, Graeme T. Swindles, Anatoly Bobrov, Dan J. Charman, Joseph Holden, Mariusz Lamentowicz, Gunnar Mallon, Yuri Mazei, Edward A.D. Mitchell, Richard J. Payne, Thomas P. Roland, T. Edward Turner, Barry G. Warner, *Development of a new pan-European testate amoeba transfer function for reconstructing peatland palaeohydrology. Quaternary Science Reviews, vol. 152, 2016, pages 132-151. doi:10.1016/j.quascirev.2016.09.024.*

compute_distance_matrix

Compute distance matrix

Description

compute_distance_matrix() is a small helper function to help you compute a distance matrix. For the geographically method to work, it is important that distances between points are not zero. This function allows to add a small random noise to avoid zero distances.

Usage

```
compute_distance_matrix(data, method = "euclidean", add.noise = FALSE)
```

Arguments

data	A dataframe or matrix containing at least two numerical columns.
method	method to compute the distance matrix. Ultimately passed to <code>stats::dist()</code> . Can be euclidean, maximum, manhattan, canberra, binary or minkowski.
add.noise	TRUE/FALSE set to TRUE to add a small noise to the distance matrix. Noise U is generated as $U \sim (1 \times 10^{-6}, 5 \times 10^{-6})$. Noise is added only for pairs for which distance is zero.

Value

a distance matrix, usable in `gwl_bw_estimation()`

Examples

```
coords <- data.frame("Lat" = rnorm(200), "Long" = rnorm(200))
distance_matrix <- compute_distance_matrix(coords)
```

`gwl_bw_estimation` *Bandwidth estimation for Geographically Weighted Lasso*

Description

This function performs a brute force selection of the optimal bandwidth for the selected kernel to perform a geographically weighted lasso. The user should be aware that this function could be really long to run depending on the settings. We recommend starting with `nbw = 5` and `nfolds = 5` at first to ensure that the function is running properly and producing the desired output.

Usage

```
gwl_bw_estimation(
  x.var,
  y.var,
  dist.mat,
  adaptive = TRUE,
  adptbwd.thresh = 0.1,
  kernel = "bisquare",
  alpha = 1,
  progress = TRUE,
  nbw = 100,
  nfolds = 5
)
```

Arguments

<code>x.var</code>	input matrix, of dimension <code>nobs x nvars</code> ; each row is an observation vector. <code>x</code> should have 2 or more columns.
<code>y.var</code>	response variable for the lasso
<code>dist.mat</code>	a distance matrix. can be generated by <code>compute_distance_matrix()</code>
<code>adaptive</code>	TRUE or FALSE Whether to perform an adaptive bandwidth search or not. A fixed bandwidth means that than samples are selected if they fit a determined fixed radius around a location. in a aptative bandwidth , the radius around a location varies to gather a fixed number of samples around the investigated location
<code>adptbwd.thresh</code>	the lowest fraction of samples to take into account for local regression. Must be $0 < \text{adptbwd.thresh} < 1$
<code>kernel</code>	the geographical kernel shape to compute the weight. passed to <code>GWmodel::gw.weight()</code> Can be <code>gaussian</code> , <code>exponential</code> , <code>bisquare</code> , <code>tricube</code> , <code>boxcar</code>
<code>alpha</code>	the elasticnet mixing parameter. set 1 for lasso, 0 for ridge. see <code>glmnet::glmnet()</code>
<code>progress</code>	if TRUE, print a progress bar
<code>nbw</code>	the number of bandwidth to test
<code>nfolds</code>	the number <code>f</code> folds for the <code>glmnet</code> cross validation

Value

a gwllest object. It is a list with rmspe (the RMSPE of the model with the associated badwidth), NA (the number of NA in the dataset), bw (the optimal bandwidth), bwd.vec (the vector of tested bandwidth)

References

A. Comber and P. Harris. *Geographically weighted elastic net logistic regression (2018)*. *Journal of Geographical Systems*, vol. 20, no. 4, pages 317–341. doi:10.1007/s1010901802807.

Examples

```
predictors <- matrix(data = rnorm(2500), 50,50)
y_value <- sample(1:1000, 50)
coords <- data.frame("Lat" = rnorm(50), "Long" = rnorm(50))
distance_matrix <- compute_distance_matrix(coords)
```

```
myst.est <- gwl_bw_estimation(x.var = predictors,
                             y.var = y_value,
                             dist.mat = distance_matrix,
                             adaptive = TRUE,
                             adptbwd.thresh = 0.5,
                             kernel = "bisquare",
                             alpha = 1,
                             progress = TRUE,
                             n=10,
                             nfold = 5)
```

```
myst.est
```

gwl_fit

Fit a geographically weighted lasso with the selected bandwidth

Description

Fit a geographically weighted lasso with the selected bandwidth

Usage

```
gwl_fit(
  bw,
  x.var,
  y.var,
```

```

    kernel,
    dist.mat,
    alpha,
    adaptive,
    progress = TRUE,
    nfolds = 5
  )

```

Arguments

bw	Bandwidth
x.var	input matrix, of dimension nobs x nvars; each row is an observation vector. x should have 2 or more columns.
y.var	response variable for the lasso
kernel	the geographical kernel shape to compute the weight. passed to <code>GWmodel::gw.weight()</code> . Can be <code>gaussian</code> , <code>exponential</code> , <code>bisquare</code> , <code>tricube</code> , <code>boxcar</code>
dist.mat	a distance matrix. can be generated by <code>compute_distance_matrix()</code>
alpha	the elasticnet mixing parameter. set 1 for lasso, 0 for ridge. see <code>glmnet::glmnet()</code>
adaptive	TRUE or FALSE Whether to perform an adaptive bandwidth search or not. A fixed bandwidth means that samples are selected if they fit a determined fixed radius around a location. In an adaptive bandwidth, the radius around a location varies to gather a fixed number of samples around the investigated location
progress	TRUE/FALSE whether to display a progress bar or not
nfolds	the number f folds for the glmnet cross validation

Value

a `gwlfit` object containing a fitted Geographically weighted Lasso.

Examples

```

predictors <- matrix(data = rnorm(2500), 50,50)
y_value <- sample(1:1000, 50)
coords <- data.frame("Lat" = rnorm(50), "Long" = rnorm(50))
distance_matrix <- compute_distance_matrix(coords)

my.gwl.fit <- gwl_fit(bw = 20,
  x.var = predictors,
  y.var = y_value,
  kernel = "bisquare",
  dist.mat = distance_matrix,
  alpha = 1,
  adaptive = TRUE,
  progress = TRUE,
  nfolds = 5)

my.gwl.fit

```

plot_gwl_map

Plot a map of beta coefficient for gwlfitt object

Description

this function plots a map of the beta coefficients for a selected column (aka species). For this function to work, the coordinates supplied to `gwl_fit()` must be named "Lat" and "Long". The function is not bulletproof yet but is added here to reproduce the maps from the original publication.

[Experimental]

Usage

```
plot_gwl_map(x, column, crs = 4326)
```

Arguments

x	a gwlfitt object returned by <code>gwl_fit()</code> .
column	the name of a variable to be plotted on the map. Must be quoted. for instance "NEB.MIN"
crs	the crs projection for the map (default is mercator WGS84). See sf::st_crs()

Value

a ggplot object

Examples

```
data(Amesbury)

distance_matrix <- compute_distance_matrix(Amesbury$coords[1:30,], add.noise = TRUE)

my.gwl.fit <- gwl_fit(bw= 20,
                     x.var = Amesbury$spe.df[1:30,],
                     y.var = Amesbury$WTD[1:30],
                     dist.mat = distance_matrix,
                     adaptive = TRUE,
                     kernel = "bisquare",
                     alpha = 1,
                     progress = TRUE)

if(requireNamespace("maps")){
  plot_gwl_map(my.gwl.fit, column = "NEB.MIN")
}
```

predict.gwlfrit *Predict method for gwlfrit objects*

Description

Predict method for gwlfrit objects

Usage

```
## S3 method for class 'gwlfrit'  
predict(object, newdata, newcoords, type = "response", verbose = FALSE, ...)
```

Arguments

object	Object of class inheriting from "gwlfrit"
newdata	a data.frame or matrix with the same columns as the training dataset
newcoords	a dataframe or matrix of coordinates of the new data
type	the type of response. see glmnet::predict.glmnet()
verbose	TRUE to print info about the execution of the function (useful for very large predictions)
...	ellipsis for S3 compatibility. Not used in this function.

Value

a vector of predicted values

Examples

```
predictors <- matrix(data = rnorm(2500), 50,50)  
y_value <- sample(1:1000, 50)  
coords <- data.frame("Lat" = rnorm(50), "Long" = rnorm(50))  
distance_matrix <- compute_distance_matrix(coords)  
  
my.gwl.fit <- gwlfrit(bw = 20,  
                    x.var = predictors,  
                    y.var = y_value,  
                    kernel = "bisquare",  
                    dist.mat = distance_matrix,  
                    alpha = 1,  
                    adaptive = TRUE,  
                    progress = TRUE,  
                    nfolds = 5)  
  
my.gwl.fit  
  
new_predictors <- matrix(data = rnorm(500), 10,50)  
new_coords <- data.frame("Lat" = rnorm(10), "Long" = rnorm(10))
```

```
predicted_values <- predict(my.gwl.fit,  
                           newdata = new_predictors,  
                           newcoords = new_coords)
```

print.gwlest

Printing gwlest objects

Description

Printing gwlest objects

Usage

```
## S3 method for class 'gwlest'  
print(x, ...)
```

Arguments

x an object of class gwlest
... ellipsis for S3 method compatibility

Value

this function print key elements of a gwlest object

Examples

```
predictors <- matrix(data = rnorm(2500), 50, 50)  
y_value <- sample(1:1000, 50)  
coords <- data.frame("Lat" = rnorm(50), "Long" = rnorm(50))  
distance_matrix <- compute_distance_matrix(coords)
```

```
myst.est <- gwl_bw_estimation(x.var = predictors,  
                             y.var = y_value,  
                             dist.mat = distance_matrix,  
                             adaptive = TRUE,  
                             adptbwd.thresh = 0.5,  
                             kernel = "bisquare",  
                             alpha = 1,  
                             progress = TRUE,  
                             n=10,  
                             nfold = 5)
```

```
myst.est
```

print.gwlfrit	<i>Printing gwlfrit objects</i>
---------------	---------------------------------

Description

Printing gwlfrit objects

Usage

```
## S3 method for class 'gwlfrit'  
print(x, ...)
```

Arguments

x	a gwlfrit object
...	ellipsis for S3 method compatibility

Value

this function print key elements of a gwlfrit object

Examples

```
predictors <- matrix(data = rnorm(2500), 50,50)  
y_value <- sample(1:1000, 50)  
coords <- data.frame("Lat" = rnorm(50), "Long" = rnorm(50))  
distance_matrix <- compute_distance_matrix(coords)  
  
my.gwl.fit <- gwl_fit(bw = 20,  
                    x.var = predictors,  
                    y.var = y_value,  
                    kernel = "bisquare",  
                    dist.mat = distance_matrix,  
                    alpha = 1,  
                    adaptive = TRUE,  
                    progress = TRUE,  
                    nolds = 5)  
  
my.gwl.fit
```

Index

* datasets

Amesbury, [2](#)

Amesbury, [2](#)

compute_distance_matrix, [3](#)

compute_distance_matrix(), [4, 6](#)

glmnet::glmnet(), [4, 6](#)

glmnet::predict.glmnet(), [9](#)

gwl_bw_estimation, [4](#)

gwl_bw_estimation(), [3](#)

gwl_fit, [5](#)

gwl_fit(), [7, 8](#)

GWmodel::gw.weight(), [4, 6](#)

plot.gwlfit, [7](#)

plot_gwl_map, [8](#)

predict.gwlfit, [9](#)

print.gwlest, [10](#)

print.gwlfit, [11](#)

sf::st_crs(), [8](#)

stats::dist(), [3](#)